

Hatch & Skylight Fittings

Hatch Fasteners

Hasps & Staples

Anti-Rattle Fastener

Hinges – All Types

Barrel Bolts

Solid Fuel Stoves

Brass Rim & Mortice Locks

Door Furniture

Door & Locker Catches

Table Screws


Flush Rings

Cabin Hooks


Interior Ventilation Grills












LEFT HAND LOCK With reversed bolt for door opening outwards.



RIGHT HAND LOCK With reversed bolt for door opening outwards.

Rim Locks

Traditional cast brass construction with polished cases and keepers. They have a two lever action with bronze springs and the latchbolt is reversible on the 5" and 6"sizes.



| Left Hand | Right Hand | Н | eight | V | Vidth |
|----------------|----------------|-------|-------|-------|-------|
| 3522/BR/062/LH | 3522/BR/062/RH | 5" | 125mm | 21/2" | 62mm |
| 3523/BR/125/LH | 3523/BR/125/RH | 43/8" | 111mm | 5" | 125mm |
| 3523/BR/150/LH | 3523/BR/150/RH | 43/8" | 111mm | 6" | 150mm |

Mortice Locks

Brass locks in two versions. The toilet door lock is secured with a lever operated square spindle, which is supplied as part of the escutcheon set. The cabin lock is operated by key, two of which are supplied with each lock. Escutcheon plates must be ordered separately. All items also available in chrome.



| Lock Face Plate Size | | 61/4" x 31/2" | 159 x 87mm |
|-----------------------------|---------------|-------------------|----------------|
| Lock Case Size | | 21/8" x 3" x 3/8" | 72 x 77 x 10mm |
| Toilet Lock | | Escu | tcheons |
| 3474/BR/LH | Left Handed | | |
| 3474/BR/RH Right Handed | | 3819/BR | |
| (illustrated) | | | |
| Cabin Lock | | | |
| 3476/BR/LH | Left Handed | | |
| | (illustrated) |) 3809/BR | |
| 3476/BR/RH | Right Handed | | |

Die Cast Brass Furniture

A range of furniture in die cast brass with 5/16" (8mm) spindles, ideally suited to the 3474 & 3476 style of locks. Stamped brass rose is an optional extra. Also available in chrome plated finish.



| Brass | Furniture Type | Sizes | |
|---------|-------------------|-------------|------|
| 3477/BR | Oval Knob & Ring | Knob: 2" | 50mm |
| 3478/BR | Oval Knob & Knob* | Ring: 13/8" | 35mm |
| 3485/BR | Lever | Lever: 3" | 75mm |
| 3482/BR | Rose | Rose: 13/4" | 45mm |

^{*} Not pictured

Sliding Door Locks

Manufactured in brass, these flush sliding door locks come complete with full escutcheons, lever handles and striking plates. The cabin lock is supplied with 2 keys and the toilet lock is operated with a lever on the inside. Minimum door thickness 20mm. Also available in chrome.





| | | Escutcheon | Lock Case |
|-------------|-------------------------|------------|---|
| Toilet Lock | | Plate Size | Size |
| 3838/BR/LH | Left Hand (illustrated) | | |
| 3838/BR/RH | Right Hand | 6½" x 3½" | 2 ⁷ / ₈ " x 3 x ³ / ₈ " |
| Cabin Lock | | 159 x 87mm | 72 x 77 x 10mm |
| 3448/BR | Not handed | | |



Traditional Furniture

This range is supplied as knob & knob or ring and knob for both rim and mortice locks. The knob is $1\frac{3}{4}$ " (44mm) in diameter and the ring is 2" (50mm). All sets come complete with round roses, escutcheons with covers and $\frac{5}{16}$ " (8mm) spindles.



| Brass | Furniture Type | Lock Type |
|-----------|----------------|-----------|
| 9200/BR/M | Knob & Ring | Mortice |
| 9200/BR/R | Knob & Ring | Rim |
| 9203/BR/M | Knob & Knob | Mortice |
| 9203/BR/R | Knob & Knob | Rim |

Oval Knob & Ring

A smaller set than the above with a $1\frac{3}{4}$ " (44mm) oval knob and $1\frac{1}{2}$ " (38mm) ring. Manufactured from high quality cast brass components with a polished finish. All sets come complete with round roses, escutcheons with covers and $\frac{5}{16}$ " (8mm) spindles.



| Brass | Lock Type |
|-----------|-----------|
| 9205/BR/M | Mortice |
| 9205/BR/R | Rim |

Cylinder Rim Lock with Dead Lock

Pressed brass case complete with flat striker with a box keeper available as an optional extra. This cylinder lock comes in two sizes to suit doors 20mm & 25mm thick and operates externally by key and internally by knurled knob. Also available in chrome.





| Brass | Door Thickness | Height | Width |
|------------|----------------|--------|-------|
| 3656/BR/20 | 15mm | 31/8" | 21/4" |
| 3656/BR/25 | 20mm | 100mm | 60mm |
| 3837/BR | Box Keeper | | • |



Push Button Catch

Manufactured in brass and available polished or chrome plated. Supplied complete with striking plate. Maximum door thickness 1" (25mm).

| Brass | Chrome | Latch D | Dimensions | Knob D | iameter |
|---------|---------|----------|------------|--------|---------|
| 3092/BR | 3092/CP | 1½" x ¾" | 38 x 20mm | 13/16" | 30m |



Cupboard Latch

Brass construction. Available in left and right hand. (Left hand illustrated).

| Brass | Hand | Size |
|------------|-------|------------|
| 3114/BR/LH | Left | 31/4" x 1" |
| 3114/BR/RH | Right | 80 x 25mm |



Oval Knob & Spindle

Brass knob to suit 3114 latch.

Part No. 3853/BR



Spindle & Rose

Brass operating spindle to suit 3114 latch.

Part No. 3852/BR



Box Key

Brass key to operate 3852 spindle.

Part No. 1612



Hinges

All of our extensive range of hinges are cast or extruded in brass or gunmetal and fitted with pins of the same material. Most items can be chrome plated to special order.

Brass Butt Hinges

Extruded brass with brass pin. Satin finish.



| Brass Butt | Size | | |
|-------------|------------|--------------|--|
| | Length x | Width (open) | |
| 8971/BR/025 | 1" x 5/8" | 25 x 16mm | |
| 8971/BR/037 | 1½" x ½" | 38 x 22mm | |
| 8971/BR/044 | 1¾" x 1" | 44 x 25mm | |
| 8971/BR/050 | 2" x 11/8" | 51 x 29mm | |
| 8971/BR/062 | 2½" x 1¾" | 64 x 35mm | |
| 8971/BR/075 | 3" x 15/8" | 76 x 41mm | |
| 8971/BR/100 | 4" x 23/8" | 102 x 60mm | |

Brass Back Flap

Extruded brass with brass pin. Satin finish.



| Brass | Size |
|-------------|---------------|
| Back Flap | Length x |
| | Width (open) |
| 8976/BR/031 | 11/4" x 17/8" |
| | 32 x 48mm |
| 8976/BR/037 | 1½" x 2¾" |
| | 38 x 60mm |
| 8976/BR/050 | 2" x 3" |
| | 51 x 76mm |
| 8976/BR/062 | 2½" x 4" |
| | 64 x 102mm |

Brass Lift-Off Hinges

Extruded brass with brass pin. Satin finish. The hand is determined by which half retains the pin.



| | Left Hand | Right Hand | Size |
|---|----------------|----------------|--------------|
| | | | Length x |
| | | | Width (open) |
| | 8975/BR/LH/050 | 8975/BR/RH/050 | 2" x 11/8" |
| | | | 51 x 29mm |
| П | 8975/BR/LH/062 | 8975/BR/RH/062 | 2½" x 1¾" |
| | | | 64 x 35mm |
| | 8975/BR/LH/075 | 8975/BR/RH/075 | 3 x 15/8" |
| | | | 76 x 41mm |

Counter Flap Hinge

Extruded brass with brass pin. Polished finish.



| Counter Flap | Size |
|--------------|----------------|
| | Length x Width |
| | (open) |
| 8979/BR/025 | 1 x 3" |
| | 25 x 75mm |
| 8979/BR/031 | 1¼ x 4" |
| | 32 x 100mm |
| 8979/BR/037 | 1½ x 4½" |
| | 38 x 115mm |

Fancy Hinge

Pressed brass with brass pin and polished finish.



| Brass | Chrome | Size |
|-------------|-------------|----------------|
| | | Length x Width |
| | | (open) |
| 8977/BR/031 | 8977/CP/031 | 1½ x 2½" |
| | | 38 x 66mm |
| 8977/BR/050 | 8977/CP/050 | 2 x 3" |
| | | 50 x 76mm |

Continuous Hinge

Supplied in polished brass with brass pin. 72" (1829mm) length.



| Brass | Width Open | | Hole | Centres |
|-------------|------------|------|-------|---------|
| 8978/BR/025 | 1" | 25mm | 23/8" | 60mm |
| 8978/BR/032 | 11/4" | 32mm | | |




Hook & Ride Hinges

Traditional style lift-off hinges cast in brass with a polished finish. When fitting to companionway doors, or similar applications, one straight and one curved hinge is used per door. The curved hinges are handed (left hand illustrated) and the straight ones are universal.



| Straight | Curved Left | Curved Right | Pintle Plate | Strap |
|-------------|----------------|----------------|----------------------|----------|
| | | | | Length |
| 8871/BR/100 | 8872/BR/LH/100 | 8872/BR/RH/100 | 1½" x ¾" 38 x 19mm | 4" 100mm |
| 8871/BR/150 | 8872/BR/LH/150 | 8872/BR/RH/150 | 21/4" x 1" 56 x 25mm | 6" 150mm |





Tee Hinge

Heavy duty cast brass hinges with a polished finish.

| Brass | Dimension A | | Dimension C | | Strap Width | |
|-------------|-------------|-------|-------------|-------|-------------|------|
| 8875/BR/150 | 6" | 150mm | 4" | 100mm | 13/4" | 44mm |
| 8875/BR/200 | 8" | 200mm | 5" | 125mm | 2" | 50mm |
| 8875/BR/250 | 10" | 250mm | 51/2" | 140mm | 21/2" | 64mm |

Strap Hinge

Heavy duty cast brass strap hinge with a polished finish.

| Brass | Length Overall | | V | Vidth |
|-------------|----------------|-------|-------|-------|
| 8870/BR/200 | 8" | 200mm | 13/8" | 35mm |
| 8870/BR/250 | 95/8" | 245mm | 1½" | 38mm |
| 8870/BR/300 | 113/4" | 298mm | 13/8" | 35mm |



Single Tail Hinge

Cast in gunmetal with a polished finish and gunmetal pin.

| Gunmetal | Length Overall | | Width | |
|----------|----------------|-------|-------|------|
| 8879/GM | 6" | 150mm | 11/4" | 32mm |



Skylight Hinge

Cast in gunmetal with a polished finish. Centre section is curved to suit skylight frame.



| Gunmetal | Length | Length | Length | Width |
|----------|---------|----------------|-----------|-------|
| | Overall | Centre Section | of Straps | |
| 8874/GM | 12½" | 3" | 4¾" | 1½" |
| | 318mm | 75mm | 120mm | 38mm |



Hatch Hinges

Two sizes and patterns of hinges with raised straps to suit hatches. Cast in brass, they are also available chrome plated.

| Brass | Strap Length | | Base Width | | Clearance Under | |
|---------|--------------|-------|------------|------|-----------------|------|
| | | | | | S | trap |
| 0820/BR | 5½" | 140mm | 23/8" | 60mm | 13/8" | 35mm |
| 0821/BR | 33/4" | 95mm | 23/8" | 60mm | 1/4" | 7mm |



Locker & Strap Hinges

Light duty hinges die cast in brass. Also available in chrome.

| Brass | Length | | Brass Length W | | Vidth |
|---------|--------|-------|----------------|------|-------|
| 0833/BR | 37/8" | 98mm | 1" | 25mm | |
| 0831/BR | 33/4" | 95mm | 21/4" | 57mm | |
| 0823/BR | 4" | 103mm | 11/4" | 32mm | |

Catches & Fasteners

We offer a range of catches and fasteners in brass and gunmetal for use inside and outside the boat. Some are also stocked in chrome, others can be chrome plated to order.



Toggle Fasteners

Die cast in brass in three patterns. Natural finish or chrome plated.

| Brass | Chrome | Overall Size | | Pattern |
|---------|---------|---|------------|------------------------|
| 3085/BR | 3085/CP | 2 ⁷ / ₈ " x 1 ³ / ₈ " | 72 x 35mm | Vertical to Vertical |
| 3086/BR | 3086/CP | 3" x 11/4" | 75 x 32mm | Vertical to Horizontal |
| 3107/BR | 3107/CP | 4½" x 1½" | 110 x 48mm | Vertical to Vertical |
| | | | | for padlock |





Anti-Rattle Fastener

A very versatile and effective catch for door, drawer or hatch fastening. The spring-loaded arm maintains pressure on the striking plate to ensure a firm, anti-rattle closure. Manufactured in brass and available lacquered or chrome plated.

| Part No. | Arm Plate Dimensions | | Part No. Arm Plate Dim | | Striking | Plate Length |
|----------|----------------------|-----------|------------------------|------|----------|--------------|
| 8155/BR | 1" x 15/8" | 25 x 33mm | 3" | 75mm | | |
| 8155/CP | 1" x 15/8" | 25 x 33mm | 3" | 75mm | | |





Turn Buttons

Buttons only available in brass, buttons on plates in brass and chrome.

| Buttons | | | Buttons on Plates | | | |
|-------------|-------|-------|-------------------|-------------|-------|--------|
| Brass | Le | ength | Brass | Chrome | Dia | ameter |
| 8150/BR/025 | 1" | 25mm | 8151/BR/037 | 8151/CP/037 | 1½" | 38mm |
| 8150/BR/031 | 11/4" | 31mm | 8151/BR/044 | 8151/CP/044 | 13/4" | 44mm |
| 8150/BR/037 | 1½" | 38mm | 8151/BR/050 | 8151/CP/050 | 2" | 50mm |
| 8150/BR/050 | 2" | 50mm | - | - | | - |



Automatic Button

A gravity operated locker catch which simply swings to one side to allow opening. Cast in brass, and complete with screw bush, it is available in polished finish or chrome plated.

| Brass | Chrome | 1 | Width |
|---------|---------|-------|-------|
| 8154/BR | 8154/CP | 11/4" | 31mm |



Double Ball Catch

Brass with steel balls.

| Brass | Length x Width |
|-------------|-----------------|
| 8483/BR/043 | 111/16" x 5/16" |
| | 43 x 8mm |
| 8483/BR/049 | 115/16" x 3/8" |
| | 49 x 10mm |





Locker Catch

Spring loaded rocking catch and keeper in die cast brass.

| Brass | Plate Length | |
|---------|--------------------------------------|--|
| 3091/BR | 1 ¹ / ₄ " 32mm | |



Hasp & Staple

Heavy duty cast brass and polished, these hasps & staples should not be confused with standard pressed or lightweight die castings.

| Brass | L | ength | V | Vidth |
|-------------|-------|-------|--------|-------|
| 8955/BR/075 | 3" | 75mm | 1" | 25mm |
| 8955/BR/094 | 33/4" | 95mm | 13/16" | 30mm |
| 8955/BR/112 | 41/2" | 114mm | 13/16" | 30mm |
| 8955/BR/150 | 61/4" | 158mm | 1½" | 38mm |



Mini Hasp

Die cast brass and available in natural finish or chrome plated.

| Brass | Chrome | Length | Width | |
|---------|---------|----------|---------|--|
| 4107/BR | 4107/CP | 2½" 55mm | 2" 50mm | |



Turn Button Hasps

Available in polished cast brass, these fitting are suitable for skylight closures, lockers and many other applications.

| Brass | I | ength | V | Vidth |
|-------------|-------|-------|--------|-------|
| 8930/BR/075 | 3" | 75mm | 13/16" | 30mm |
| 8930/BR/106 | 43/8" | 112mm | 1½" | 38mm |





Hatch & Skylight Fasteners

Solidly cast in brass, this strong fitting is also available with a locking mechanism. Key supplied separately.

| ` Part No. | Type | Bolt Size | Base Plate | |
|------------|-------------------------|-------------------------------------|--------------|--|
| 8784/BR | Plain | 2" x ⁵ / ₁₆ " | 17/8" x 3/4" | |
| 8784/BR/L | With Lock | 50 x 8mm | 47 x 20mm | |
| 8784/00/K | Key for locking pattern | | | |



Holding Down Bolt

Manufactured in gunmetal and polished, these strong securing screws are ideal for skylights, hatches etc.

| Part No. | Bolt Size | | Fork Base Plate | |
|-------------|-----------|------------|-----------------|-----------|
| 8789/GM/075 | 3" x 3/8" | 75 x 10mm | 21/4" x 3/4" | 60 x 19mm |
| 8789/GM/150 | 6" x ½6" | 150 x 11mm | 1¾" x 1¾" | 44 x 44mm |



Table Screw

Polished brass with two plates and a thumbscrew.

| Brass | Screw | | Brass | | Pl | ate |
|-----------------|-----------|-----------|------------------|-----------|----|-----|
| 8786/BR/075/010 | 3" x 3/8" | 75 x 10mm | 1 7/16" x 15/16" | 36 x 25mm | | |
| 8786/BR/075/012 | 3" x ½" | 75 x 12mm | 2" x 11/4" | 50 x 31mm | | |



Table Screw

Polished brass with round plate and screw eye.

| Brass | Screw | Plate Diameter | |
|---------|----------------------|----------------|--|
| 8787/BR | 3½" x 3/8" 89 x 10mm | 2" 50mm | |





| Brass | Chrome | Height |
|-------------|-------------|--------|
| 8260/BR/037 | 8260/CP/037 | 1½" |
| | | 38mm |
| 8260/BR/050 | 8260/CP/050 | 2" |
| | | 50mm |

Double Hook



Height: 2½" (60mm)

| Brass | Chrome |
|---------|---------|
| 8262/BR | 8262/CP |

Compact Hook



Projection: 3/4" (20mm)

| Brass | Chrome |
|---------|---------|
| 0691/BR | 0691/CP |



Folding Coat Hook

| Brass | Type | Height | Projection | Projection |
|---------|-------|--------|------------|------------|
| | | O.A. | (in use) | (folded) |
| 8302/BR | 3-Arm | 3" | 33/8" | 3/8" |
| | | 75mm | 85mm | 19mm |
| 8303/BR | 4-Arm | 43/4" | 51/8" | 3/4" |
| | | 122mm | 128mm | 19mm |



Flush Rings

These flush rings are high quality in all brass with a generous recess to allow fingers access to the rings.



Rectangular with Catch

| Brass | Chrome | Dimensions | |
|-------------|-------------|---|-----------|
| 8480/BR/044 | 8480/CP/044 | 1 ³ / ₄ " x 1 ¹ / ₄ " | 44 x 32mm |
| 8480/BR/050 | 8480/CP/050 | 2" x 1½" | 50 x 38mm |



Rectangular

| Brass | Chrome | Dimensions | |
|-------------|-------------|---|-----------|
| 8500/BR/037 | 8500/CP/037 | 1 ⁹ / ₁₆ " x 1 ³ / ₁₆ " | 40 x 30mm |
| 8500/BR/044 | 8500/CP/044 | 113/16" x 115/16" | 46 x 34mm |
| 8500/BR/050 | 8500/CP/050 | 2" x 1½" | 50 x 38mm |
| 8500/BR/069 | 8500/CP/069 | 2 ³ / ₄ " x 1 ⁷ / ₈ " | 70 x 48mm |
| 8500/BR/075 | 8500/CP/075 | 3" x 2½" | 75 x 64mm |



Round

| Brass | Chrome | Dimensions | |
|-------------|-------------|------------|------|
| 8502/BR/037 | 8502/CP/037 | 1½" | 38mm |
| 8502/BR/044 | 8502/CP/044 | 13/4" | 45mm |
| 8502/BR/050 | 8502/CP/050 | 2" | 50mm |
| 8502/BR/062 | 8502/CP/062 | 25/8" | 67mm |



NEW Heavy Duty Lifting Ring with Catch

Heavy duty brass fitting, which can be operated with two or more fingers from the outside. Also fitted with removable inner handle.

| Brass | Chrome | Plate D | imensions | |
|---------|---------|------------|-----------|--|
| 8481/BR | 8481/CP | 4" x 31/8" | 98 x 80mm | |



NEW Heavy Duty Lifting Ring without Catch

Flush brass fitting enabling two or more fingers to be used for heavier hatches.

| Brass | Chrome | Din | nensions |
|---------|---------|---------|-----------|
| 8482/BR | 8482/CP | 3" x 2" | 75 x 55mm |



Brass Drop Rings

All brass construction.

| Brass | Dimensions | |
|-------------|------------|----------|
| 8520/BR/075 | 3" x 5/8" | 75 x16mm |



Flush Drawer Handle

All brass construction with polished finish. Chrome available to order.

| Brass | Dimensions | |
|-------------|------------|-----------|
| 9113/BR/075 | 3" x 11/8" | 75 x 47mm |
| 9113/BR/087 | 3½"x 2" | 89 x 50mm |



Drawer Pull

A lightweight drawer pull in pressed brass, polished or chrome plated.

| Brass | Chrome | Dimensions | |
|---------|---------|------------|-----------|
| 9110/BR | 9110/CP | 3¾" x 1½" | 95 x 38mm |



Drawer Pull

Cast brass drawer pull in polished brass finish or chrome plated.

| Brass | Chrome | Dimensions | |
|---------|---------|------------|-----------|
| 9112/BR | 9112/CP | 3¾" x 1½" | 95 x 38mm |



Sash or Door Handles

Cast brass with a polished finish. Can be chrome plated to order.



| Brass Length | | Length | | jection |
|--------------|-------|--------|--------|---------|
| 9121/BR/070 | 23/4" | 70mm | 13/16" | 22mm |
| 9121/BR/140 | 5½" | 140mm | 11/8" | 29mm |

Canted Brass Handle

Cast in brass and then polished. Also available chrome plated.



| Brass | Length | | Pro | jection |
|---------|--------|-------|-------|---------|
| 9122/BR | 6" | 150mm | 13/8" | 35mm |
| 9122/CP | | | | |

Barrel Bolts

Solid brass extrusions in straight and cranked patterns, supplied polished or chrome plated.



Straight Pattern

| Brass | Chrome | Le | ength |
|-------------|-------------|-------|-------|
| 9011/BR/050 | 9011/CP/050 | 2" | 50mm |
| 9011/BR/062 | 9011/CP/062 | 21/2" | 64mm |
| 9011/BR/075 | 9011/CP/075 | 3" | 75mm |
| 9011/BR/100 | 9011/CP/100 | 4" | 100mm |
| 9011/BR/150 | - | 6" | 150mm |



Cranked Pattern

| Brass | Chrome | L | ength |
|-------------|-------------|----|-------|
| 9012/BR/075 | 9012/CP/075 | 3" | 75mm |
| 9012/BR/100 | 9012/CP/100 | 4" | 100mm |

Cabin Hooks

Silent pattern in brass or chrome plate finish. Standard pattern also available.



Silent Pattern

| Brass | Chrome | Le | ength |
|-------------|-------------|-------|-------|
| 8802/BR/062 | 8802/CP/062 | 21/2" | 62mm |
| 8802/BR/075 | 8802/CP/075 | 3" | 75mm |
| 8802/BR/100 | 8802/CP/100 | 4" | 100mm |
| 8802/BR/125 | 8802/CP/125 | 5" | 125mm |
| 8802/BR/150 | 8802/CP/150 | 6" | 150mm |
| 8802/BR/200 | 8802/CP/200 | 8" | 200mm |



Self Gripping Door Stop

Cast in brass with a rubber buffer, the hook automatically holds the door in the open position. Available in brass and chrome.

| Brass | Chrome | Base I | Diameter | Pro | jection |
|------------|------------|--------|----------|-------|---------|
| 8806/BR/40 | 8806/CP/40 | 1%16" | 40mm | 13/4" | 45mm |
| 8806/BR/50 | 8806/CP/50 | 2" | 50mm | 25/8" | 65mm |
| Heavy Duty | Heavy Duty | | | | |
| 8807/BR/58 | 8807/CP/58 | 21/4" | 58mm | 3" | 75mm |



Spring Door Holder

Spring loaded jaws catch and hold the stem to secure the door in the open position. Available in brass or chrome finish.

| Brass | Chrome Base Size | | e Size |
|---------|------------------|--------------|-----------|
| 3165/BR | 3165/CP | 23/8" x 1/2" | 60 x 12mm |



Hatch, Skylight & Window Stays

From this group of products it should be possible to select a fitting that will support any kind of opening flap on the boat, be it horizontal, vertical or something in between.



Bar Type Quadrants

These bar quadrants are available in two sizes in brass or chrome plated finish. The smaller size has a wing nut to lock it in place whilst the larger one has a wheel and three notches.

| | Brass | Chrome | Length | | Appro | ox. Travel |
|---|-------------|-------------|--------|-------|-------|------------|
| | 8749/BR/178 | 8749/CP/178 | 7½" | 190mm | 51/2" | 140mm |
| Ī | 8749/BR/294 | 8749/CP/294 | 12" | 300mm | 9" | 230mm |

8746 8747 8743

Skylight Lifters

All of these lifts are manufactured from brass and supplied in a polished finish. The small 8746 lifter has a self-locking bracket to secure it, whereas the other two are heavy duty lifts utilising a tee bar screw.

| Brass | Length | | Appro | x. Travel |
|-------------|--------|-------|-------|-----------|
| 8746/BR/190 | 7½" | 190mm | 6½" | 165mm |
| 8746/BR/250 | 10" | 250mm | 81/2" | 216mm |
| 8747/BR/350 | 16" | 400mm | 14½" | 368mm |
| 8747/BR/525 | 21½" | 545mm | 19" | 483mm |
| 8743/BR/250 | 10" | 250mm | 8" | 200mm |
| 8743/BR/350 | 14" | 350mm | 12" | 300mm |



Telescopic & Slide Stays

Manufactured in brass and also available chrome plated. Both sizes of 8748 are tubular with the miniature version having a twist lock collar and the larger pattern a wheel lock. The 1209 has a sprung loaded ball bearing which locates in the fully extended position and applies friction on the flat bar at intermediate points.

| Brass | Chrome | Min & M | ax Length |
|-------------|-------------|----------------|-------------|
| 8748/BR/MIN | 8748/CP/MIN | 93/4" - 151/2" | 247 - 396mm |
| 8748/BR/287 | 8748/CP/287 | 11¾" - 19¾" | 300 - 505mm |
| 8748/BR/353 | 8748/CP/353 | 14½" - 25½" | 368 - 645mm |
| 1209/BR | 1209/CP | 11/8" - 81/2" | 28 - 220mm |



Hatch Slides

Our ³/₄" brass tracks, **1296/BR/T/19** & **1321/BR/T/19**, mate perfectly together to provide secure, smooth running hatch sliding gear. Supplied in 10 foot (3 metre) lengths. See page 33 for details.



Ventilators

We list a range of brass ventilators for various applications on the boat from simple air flow to heating grills and covers for deck vents. All are available chrome plated and stainless steel to special order.

NEW





Hit & Miss

| Brass | | Size |
|-----------------|----------|-------------|
| 8542/BR/150/075 | 6" x 3" | 150 x 75mm |
| 8542/BR/150/150 | 6" x 6" | 150 x 150mm |
| 8542/BR/225/075 | 9" x 3" | 228 x 75mm |
| 8542/BR/225/150 | 9" x 6" | 228 x 150mm |
| 8542/BR/305/075 | 12" x 3" | 305 x 75mm |


Louvre


| Brass | | Size |
|-----------------|-----------|-------------|
| 8547/BR/150/075 | 6" x 3" | 150 x 75mm |
| 8547/BR/150/150 | 6" x 6" | 150 x 150mm |
| 8547/BR/150/225 | 6" x 9" | 150 x 225mm |
| 8547/BR/225/075 | 9" x 3" | 225 x 75mm |
| 8547/BR/225/150 | 9" x 6" | 225 x 150mm |
| 8547/BR/225/225 | 9" x 9" | 225 x 225mm |
| 8547/BR/305/075 | 12" x 3" | 305 x 75mm |
| 8547/BR/305/150 | 12" x 6" | 305 x 150mm |
| 8547/BR/305/225 | 12" x 9" | 305 x 225mm |
| 8547/BR/305/305 | 12" x 12" | 305 x 305mm |





Oblong Slot







| N | E | W | |
|---|---|---|--|
| | | | |

| Brass | Size | | |
|-----------------|----------|-------------|--|
| 8548/BR/150/075 | 6" x 3" | 150 x 75mm | |
| 8548/BR/225/075 | 9" x 3" | 228 x 75mm | |
| 8548/BR/225/150 | 9" x 6" | 228 x 150mm | |
| 8548/BR/303/075 | 12" x 3" | 305 x 75mm | |

| Brass | Size | | |
|-----------------|---------|-------------|--|
| 8549/BR/150/075 | 6" x 3" | 150 x 75mm | |
| 8549/BR/225/075 | 9" x 3" | 228 x 75mm | |
| 8549/BR/225/150 | 9" x 6" | 228 x 150mm | |

Round Hit & Miss







Round Grill

Heavy cast brass and polished.

| Brass | Diameter | |
|-------------|----------|--|
| 8543/BR/159 | 61/4" | |
| | 160mm | |



Traditional style fitting with polished cast gunmetal bracket and wooden roller. It can also be supplied chrome plated.

| Gunmetal | Chrome | Over | rall Width | Over | all Height |
|----------|---------|------|------------|------|------------|
| 8045/GM | 8045/CP | 6" | 150mm | 5" | 125mm |

